



Offer 382854

## **KBA-RAPIDA RAPIDA 106-8 from 2018**

8 Color

### **Offer Details**

<b>Offer Number</b>	382854
<b>Brand</b>	KBA-RAPIDA
<b>Model</b>	Rapida 106-8
<b>Manufacturer</b>	KBA-RAPIDA
<b>Condition</b>	Good
<b>Year</b>	2018
<b>Incoterm</b>	
<b>Cylinders Condition</b>	
<b>Under Power</b>	Yes
<b>Still in production</b>	Yes
<b>Test possible</b>	Yes
<b>Complete and in working condition</b>	Yes
<b>Availability</b>	Upon agreement
<b>Counter</b>	240 mio.
<b>Machine number</b>	

<b>Description</b>	<p>Mod. Rapida 106-8 SW SPC  Antistatic equipment feeder and delivery, high-performance version  SIS - Sensoric Infeed System, without mechanical side lay system  Pneumatic plate bending device at the gallery  DriveTronic SPC - Simultaneous Plate Change incl. paper stretch compensation  DriveTronic Plate Ident  Inking unit temperature control without ink duct roller cooling, incl.  Technotrans Beta C High tech combi cooling unit  CleanTronic - Multi-purpose washing system for blankets and impression cylinders &amp; roller washing system for conventional inks  1x Winding stand incl. supply reel, motorized  4 set Additional washing cloth spindle  Nonstop rollers for uninterrupted production on delivery  Powder removal (Koenig &amp; Bauer)  EES - Emission Extraction System  Dynamic sheet brake with four speed - compensated suction belts  Package water-cooling for combi cooling unit and air supply cabinet (Technotrans)  Booster for water cooling in case of temperatures above 35°C up to 40°C (Technotrans)  Wallscreen for visualisation of all press processes  ErgoTronic ColorControl - Automatic ink density measurement along x and y axis at the ErgoTronic console  QualiTronic ColorControl (perfecting) - Inline ink density measurement  ErgoTronic ICR - Integrated Camera Register, automatic register measurement at the ErgoTronic console  LogoTronic CIPLinkX  Digital speed display  PWVA Plate change  INTERCOM</p>
--------------------	--

## Technical details

<b>Max. paper size</b>	740x1060 mm
<b>Smallest size</b>	340x480 mm
<b>Image area</b>	795x1050 mm
<b>Plate size</b>	730x1050 mm
<b>Speed</b>	15.000
<b>Colors</b>	8
<b>HS Code</b>	84431300

**PRICE: Upon request**

## Images

