



Offer 384636

KOLBUS DA 270 from 2015

Casemaker

Offer Details

Offer Number	384636
Brand	KOLBUS
Model	DA 270
Manufacturer	KOLBUS
Condition	Very good
Year	2015
Incoterm	
Cylinders Condition	
Under Power	Yes
Still in production	No
Test possible	Yes
Complete and in working condition	Yes
Availability	Upon agreement
Counter	
Machine number	

Description	Standard equipment: - Copilot system with touchscreen • Production selection • Format memory • Operator-guided production changes • Automatic format settings • Fine adjustments via +/- buttons during production • Product counter (order, shift, and start/stop counters) • Display of machine malfunctions and material flow disruptions • Operator-guided troubleshooting - Cardboard pre-stack conveyor (1,700 mm) for automatic refilling the magazines (shingle and stack feed) - Panel feeder for non-stop operation with stack magazine, max. stack height 160 mm - Defective panel check during singulation - Counting stack delivery with roller conveyor discharge including table, total length: 4,500 mm (max. stack height 125 mm) - Panel cylinder with grippers and interchangeable die plates (5 pieces 500 mm wide + 5 pieces 720 mm wide, incl. 10 rubber dies) - Roll-on device for wrinkle-free bonding of the cover material with cardboard and backing - Device for quilted blankets (up to max. 8 mm thickness with quilting, 4 mm when compressed) - Automatic blanket counter - Programmable automatic settings, motorized adjustments, display of production malfunctions - Individual blanket request for monitoring purposes on the operator side - Servo-controlled drive technology based on Siemens SIMOTION D Roller limiter - Device for processing roll boundary • Backing feeder for the roll material, Capacity for 2 backing rolls, longitudinal and transverse cutting device • Backing waste shredder • Device for automatic attachment and replacement of the roll backing while the machine is running Hot melt processing • Extendable gluing unit for hot melt application with glue preparation in the pre-melting unit, heated glue application roller and scraper roller • Viscosity control unit with regulation for automatic water supply to ensure consistent glue viscosity • Device for mirror gluing with hot melt PS cardboard cutting device with double cutter for the production of book covers and cardboard binding Device for hanging and covering in 2 steps Small format setup - Active Line module for feeding drive energy back into the system network - Safety standard according to EC directives and standards
--------------------	---

Technical details

Cover size max.	670x390 mm
Cover size min.	205x140 mm
Cloth height	130
Cloth width	223
Cardboard thickness	1 to 4 mm
Cardboard width	95
Cardboard height	140
Joint width	4
Spine width	14

Turn in width closed	8
Centre strip roll thickness / width	03, to 0,6 mm / 6
Mechanical speed	65 cycles/min.
HS Code	84439959 HS Codes Classification of Other
Book covers approx.	39 Mio.

PRICE: Upon request

Images



