



Offer 384174

KOLBUS KM 600 from 2016

Perfect Binders

Offer Details

Offer Number	384174
Brand	KOLBUS
Model	KM 600
Manufacturer	KOLBUS
Condition	Good
Year	2016
Incoterm	
Cylinders Condition	
Under Power	Yes
Still in production	Yes
Test possible	Yes
Complete and in working condition	Yes
Availability	
Counter	
Machine number	

Description	Control system: KOLBUS COPILOT Drive system: Siemens SIMOTION D Automatic Thickness Control (ATC) Central TFT touch-screen control panel Detection of missing, double and incorrect signatures Camera-based signature recognition system Inspection of text, images and barcodes Automatic rejection of incorrectly gathered signatures AS 842 reject station Integrated jogger Air-blowing system Mechanical output: up to 7,000 cycles/h Maximum format: up to 320 × 460 mm Production counter: 5,242,385 copies Counter 2: 7,439,067 Equipment: COPILOT computer control system with TFT touch screen Automatic format setting Production setting memory Automatic book block delivery adjustment Standard spine milling unit Spine roughening and notching station Brush station PUR spine glue unit Replaceable Hotmelt spine glue unit Hotmelt-EVA side glue unit KOLBUS RA 49.A cover feeder Double-cover pick-up control Cover creasing station Two pressing stations IR heating system Automatic parameter setting and adjustment 3. Glue Melting Equipment NORDSON XNO 961 PUR hotmelt pre-melting unit Tank capacity: 20 l Melting/feed capacity: approx. 10 kg/h Heated hose: 7,200 mm KOLBUS LH 375.B Hotmelt pre-melting unit Tank capacity: 90 l Melting/feed capacity: up to 60 l/h Heated hose: 7,500 mm 4. KOLBUS HD 143.P Three-Knife Trimmer For three-side trimming of book blocks, brochures and magazines. Production counter: 5,110,892 copies Counter 2: 2,668,703 Equipment: COPILOT control system with touch screen Automatic format setting Automatic product positioning Automatic speed synchronization 2 sets of knife cassettes 2 sets of knife protection bars 5 pressing plate holders Cut counter External precision knife adjustment device Automatic central lubrication system Metal knives with carbide inserts Tool box Technical data: Finished format: max. 305 × 420 × 80 mm Untrimmed format: max. 320 × 450 × 80 mm Stack height: max. 80 mm Maximum pressing force: 20 kN Maximum trim width: 40 mm Mechanical output: up to 4,200 cuts/h Feeding capacity: up to 7,500 copies/h 5. KOLBUS KL 301 Stack Delivery Cross-stacking unit for book blocks, brochures and magazines.
--------------------	---

Technical details

Max. book size	320x460 mm
Min. book size	100x105 mm
Max. speed	7000 cycles/h.
HS Code	84439959 HS Codes Classification of Other

PRICE: Upon request