

Offer 356371

## MKW UT 16 B3-GS from 2012

Gatherer Collators



### Offer Details

<b>Offer Number</b>	356371
<b>Brand</b>	MKW
<b>Model</b>	UT 16 B3-GS
<b>Manufacturer</b>	MKW
<b>Condition</b>	Good
<b>Year</b>	2012
<b>Incoterm</b>	Free Carrier
<b>Cylinders Condition</b>	
<b>Under Power</b>	No
<b>Still in production</b>	No
<b>Test possible</b>	No
<b>Complete and in working condition</b>	Yes
<b>Availability</b>	
<b>Counter</b>	
<b>Machine number</b>	

**Description**

With 16 stations in normal operation

- Format 10 x 14 cm to 35 x 50 cm
- Large stack with max. 70 cm stack height
- Paper weights approx. 14 - 1000 g/m<sup>2</sup>
- Toothed belt transport table for continuous paper transport
- Toothed belt table radially adjustable for precise sheet placement
- Adjustable tilting suction cups for optimal paper pick-up
- Pressure vacuum generator in soundproof housing
- Blowing air device with adjustable automatic front blowers
- Blowing air device with adjustable height-adjustable side blowers
- Blowing air device with adjustable stretching air
- Electronic machine control via industrial PC
- High-quality 12.1" color display (TFT) for safe and clear operator guidance
- Self-calibrating electronic missing and double sheet control per station
- Missing and double sheet controls can be parameterized on the operator terminal
- Missing sheet repetition
- Tandem function for double use 2:1 (normal operation only)
- Dynamic station selection for optimized pre-loading for the next order
- Automatic activation and deactivation of the preselected stations
- Possibility of inserting at any station
- Insertion change function at any station
- Cardboard change function at any station
- Speed display with continuous adjustment
- Pre-selection counter with adjustable intermediate stop for number of sets and stop time
- Edition counter with emptying of the transport table after the number of sets has been reached
- Maintenance counter to display the maintenance intervals
- Total counter to display the total running performance
- Special counting functions with combination option
- Delivery control for interlaced delivery with adjustable set interval
- Storage option for repeat orders
- Transport table illumination with fluorescent lamps
- Test programs for service and maintenance work
- Energy saving system with automatic activation and deactivation of all drives
- Automatic activation and deactivation of the required Pressure-vacuum generator
- Jam control above the transport table
- Possibility of manual feeding on the right-hand side
- Ejection station including empty station on the delivery AW 3 (35x50) (for ejecting faulty sets)
- Delivery shaker system integrated, servo drive ASS i 2 Q Servo (for normal and interlaced delivery, including delivery shaker)
- Manual feeding station on the left-hand side HV 2 (70x50) (including automatic station control in the event of incorrect operation)
- Lift control of the delivery rollers AHB (for different formats per set and folded sheets)

Special features:

- Two separate main drives for the suction rod Synchro-HA (15 + 15 stations, automatic activation when required, to increase production speed)
- 15 x plug-in bulkheads for DP conversion
- 15 x plug-in F/D controls for DP conversion
- foldable transport carriers for DP conversion (MKW patented system)

Customer-specific options for MKW RAPID UT

- Special program: block or pool program SOFU-BK (process control for special packaging)
- Special program: multiple edition SOFU-WH (process control for multiple edition functions)
- Special program: calendar division SOFU-KT (process control for calendar or set division into e.g. 2 parts)

Alternative to delivery shaker:

1 high-pile delivery type MKW RAPID HA 570 Q-UT

- Open format 10 x 14 cm to 70 x 50 cm
- High-pile delivery up to max. 60 cm stack capacity

## Technical details

<b>Max. book size</b>	350x500 mm
<b>Min. book size</b>	100x140 mm
<b>HS Code</b>	84439959 HS Codes Classification of Other

**PRICE: Upon request**

## Images



