



Offer 383986

RYOBI - RMGT RMGT 970PF-8 from 2025

8 Color

Offer Details

Offer Number	383986
Brand	RYOBI - RMGT
Model	RMGT 970PF-8
Manufacturer	RYOBI - RMGT
Condition	Like new
Year	2025
Incoterm	
Cylinders Condition	Damage free
Under Power	Yes
Still in production	Yes
Test possible	Yes
Complete and in working condition	Yes
Availability	Immediately
Counter	7 Mio
Machine number	

Description	PCS-G Printing Control System Rotary stream feeder Static eliminator on delivery Mechanical double-sheet detector Vacuum suction-type feeder board Paper size preset system Registration device Vertical and lateral image micro-adjustment Ultrasonic double-sheet detector Slewed sheet detector Side lay detector Front-lay Bernoulli device Side lay preset Straight edge plate clamp with positioning pins Infed lower swing gripper feed drum Gripper margin: 10 mm Remote control for vertical, lateral and diagonal register 19 inking rollers, including form rollers 4 dampening rollers R-matic dampening system Oscillating bridge roller Double-double-single perfecting cylinder configuration Static eliminator Chain gripper delivery Delivery jam detector De-curler device Board insertion device Powder sprayer High pile delivery Delivery area sensor Paper size preset system Paper guide under the first delivery drum Delivery belt guide Belt-type vacuum slow-down wheels Automatic feeder pile lateral alignment function Blower guide under the swing Pneumatic pull side guide Feeder air preset Impression pressure preset Impression cylinder cleaning function Feed drum fan-out adjustment mechanism Automatic blanket cleaning device Automatic ink roller cleaning device Smart-FPC plate changing device Ink form rollers 1st-3rd oscillating Hollow rollers for ink roller temperature control system R-matic_D remote ON/OFF Technotrans alpha.c chiller with alcohol density control Photo-type delivery pile lowering sensor Delivery fan antistatic eliminator PPC Server III for CIP-4 file transfer Press information display LithoFlash® Inline RMGT 970 Recto Verso automatic inline measurement system LithoFlash software package: LithoDyn ADR, LithoDyn JobChange, LithoFlash OneShot Machine elevated by 200 mm
--------------------	---

Technical details

Max. paper size	650x965 mm
Smallest size	290x410 mm
Image area	640x930 mm
Speed	16.000 sheet/h
Stock thickness	0.04 mm
Colors	8

HS Code	84431300
----------------	----------

PRICE: Upon request